

# 21.5-inch touch LED advertising display



SKU:

## FEATUES

The Edis 21.5-inch LED is a new media concept, refers to the large shopping malls, supermarkets, hotel lobbies, restaurants, cinemas and other people gather in the public places, through the large screen terminal display equipment, the release of commercil, financial and entertainment information multimedia professional audio-visual system.



## PANEL PARAMETER

Model	21.5-inch infrared touch, all-in-one display
Screen type	TFT LED /2K UHD
Input voltage	AC110-240V 50-60Hz
Screen display size	476.64 *268.11 mm (H×V)/ 16:9
Power consumption	≤ 25W
Standby power	≤ 0.5W
Work voltage	5.0V (Typ.)
Resolution	1920(H)*1080(V)
Brightness	250cd/m <sup>2</sup>
Contrast	1000:1
Viewing Angle	Up/Under/Left /Right: 89°/89°/89°/89°
Response time	8ms
Color	16.7M
Overall dimensions	526×320 ×17mm (H×V×D)

## LOCAL OPERATION

Network configuration	Support wired network connection and wireless network connection
Time-shared setting	Support time sharing to set up time period of turning on/off and volume of advertising machine
Language switch	Support switch between simplified Chinese and many languages
Watchdog reset	Support automatic resetting of exceptions
Screen Switch	Support 0°、 90°、 180°、 270°screen switch;support divi-screen display between videos and images.
System update	Support system background upgrade and local upgrad
Server setting	Support manual IP input, connect to the corresponding server
USB	Support USB inserting and updating program,the program should be saved in the U disk "LProgram" file
Mouse	Support mouse operation page
TF card	Support insertion of TF card, increase storage space
Page automatic skip	When it is on the main page, the screen will automatically jump to the program playing page if no operation in 10s; When it is on a subpage,the screen will automatically jump to the main screen if no operation in 60s.

## MAINBOARD CONFIGURATION

CPU	quad-Core
RAM	DDR3 2GB
storage	EMMC 16GB
network	(1) RJ45 network /WiFi (Self-contained) Bluetooth/Extensible 3G、4G (optional)
interface	(Internal)DC*1、HDMI*1、TF card*1、 RJ45*1/(external)USB2.0*2
release system function	Remote info. release software of network edition ( <b>optional &amp; free of charge</b> )operation system : Android 6.0/7.1

## CAMERA

OS	Android 6.0/7.1
Language	Many language available
Video formats	FLV、AVI、WMV、MPEG、3GPP、MP4、MKV、DIVX、ASF、WEBM、RM、etc.
Audio formats	MP3、AVI、ASF、DIVX、Matroska、3GPP、MP4、MPEG、FLV、WMA、WAV、AC3、EAC3、AAC、RM、WEBM、etc.
Audio Output	stereo audio L/R, 3W, 8Ω
Image formats	BMP/PNG/GIF/JPEG
Other formats	PDF、PPT、SWF、Text、Real-time data stream
System Updata	USB 2.0 Updata
System management	Unified management, group management, multi-user management, remote management, timing switch

## OTHERS

Power supply	Built-in safe and reliable power and external lead
Installation methods	≥ 50000 hrs
Working Temperature	20℃ ~ 68℃
Store humidity	5% ~ 90%

## REMOTE RELEASE SYSTEM

program management	Support settings of the program list, you can delete, preview, publish and edit the program.Support settings of the message list,Support settings of the broadcast schedule of programs,you can delete, preview, publish and edit news.
terminal management	Supports terminal monitoring and terminal setting for selected terminals.
News operation	Support synchronous setting of message content, message playing duration, message playing time.
Program operation	Support synchronous setting of program name, program content, program duration,broadcast type and broadcast time.

## SHELL PROCESS

Design	Accord with the ergonomics design
texture	The face frame adopts <b>aluminium profile</b> drawing process, and the shell is <b>cold-rolled steel plate</b> ,which is not easy to be deformed
surface treatment	aluminium profile wire drawing to cover the edge with surface <b>4mm toughened glass</b>
Aluminum paint	High-gloss/frosted/industrial paint.There is no need to worry about falling off or rusting
Color optional	Silver/gold/black/etc. customized
Design	Ultrathin model

## REMOTE RELEASE SYSTEM

Name	Thick carton
Dimension of outer	Dimension of outer
Gross weight /KG	6.62KG
Net weight /KG	6.08KG

Quality standard	UL/FCC/ETL/TUV/GS/SAA/ CE/ROHS
accessories	screw、leaflet、 power cord、 key、 Certificate of Approval、 warranty card


## ANDROID

configuration	online
CPU	Four nuclear
mainboard	embedded
memory	2G
storage	8G
network card	WiFi/cable
touch	without
audio	exist

## NETWORK FEATURES

configuration	Win the standard version	Windows update
CPU	J1900	Core i3
mainboard	embedded	embedded
memory	2G	4G
storage	32G	128G
network card	WiFi/cable	WiFi/cable
touch	Infrared touch	Infrared touch
audio	exist	exist

## TYPE CLASSIFICATION

Model	19 inch	22 inch	32 inch	43 inch	50 inch	55 inch	65 inch
Display	453mm*283mm	521mm*312mm	732mm*432mm	975mm*569mm	1131mm*660mm	1252mm*726mm	1466mm*845mm
Area size							

